我们承诺
做到售后无忧

15天包退换：任何疑问，包括外观不喜欢您都放心退

2年质保：质量保证，如有质量问题我们将保证为您更换产品

*人工损坏或者对产品不了解使用不当造成问题均不属于免费退换范围

Selection Notes

Please confirm the correct model before placing an order.
If you have any questions, please consult customer service.

① Product Classification

Economic Version



Metering Version



Professional Version



② Control via mobile phone with WIFI connection, no distance limitation.

The circuit breaker is connected to Wi-Fi, enabling remote control via a mobile app through the cloud server.



Quality You Can Trust
Circuits You Can Control
Effortlessly

Smartphone Remote Control Switch



Upgraded for All-New Safety Protection





Wi-Fi Connection

Product features



Power Consumption Statistics

Product features



Timing Settings

Product features




No distance limitation

Product features



Mobile Control

Product features



Powerful chip core

Product features

Whole-house smart linkage

Whole house intelligence

Own it and enjoy a smart life;
connect it to instantly turn into smart home appliances.



Ambient temperature High adaptability

vWhole house intelligence

Meet your application needs.



High temperature environment



Low temperature environment



Whole house intelligence

Secure protection

Mobile control View various data

You can view total electricity consumption, current, voltage, and power. Historical records allow you to check and add timers, among other functions.



Controlled by mobile phone, view anytime.

Can be installed anywhere with a C45 guide rail.

Can be combined freely.

Whole house intelligence



Whole house intelligence

Intelligent timing control can be customized according to needs.

Supports single timing, cyclic timing, countdown timing, random timing, and astronomical timing.

Set the living room light to turn on at 8:30.

Set the water heater to turn off at 9:00.

Set the bedroom light to turn on at 9:00.





Every detail is a testament to integrity

Humanized design, thoughtful and convenient.



Button switch



Flame-retardant material



Single-channel wiring



Positioning buckle

Humanized design, easy operation, convenient maintenance.



Product Wiring



Tool-free assembly and disassembly

Whole house
intelligence

Product Parameters Analysis


Direct from manufacturer, complete specifications, clear parameters at a glance.





Product Name	Smartphone Remote Control Switch	Control Mode	Manual / Remote APP
Protection Level	IP20	Communication Protocol	WIFI
Environmental Class	-5°C~+40°C	Installation Method	Rail Installation
Product Voltage	90V-300V	Product Current	63A

Three time setting modes

(Timer / Countdown / Cycle Timer)







Wiring Diagram



Inlet at the bottom outlet at the top

Separation of neutral and live wires is required.

Input must include both neutral and live wires; output may have live wire only.

