Single fixed feedback






Note the working voltage you need when you place an order! (Default 220V)

Control 5 km LORA FSK remote switch

Control Feedback and
LORA Powerful Features



SINGLE FIXED FEEDBACK

Working voltage: DC12V, DC24V, AC220V, AC380V




Note the working voltage you need when you place an order! (Default 220V)
Transmitter and receiver can be different working voltage! (Such as: transmitter DC12V, receiver AC220V)

The latest mutual feedback remote control switch

✔ High Power ✔ Remote control handle with voice prompt

Open, beep

Shut down, double beeps






Remote control switch with sound prompt

Turn on the device with one beep, turn off the device with two beeps

- ✔ Measured distance 3 kilometers
- ✔ Countdown 1-999 s/m/h
- ✔ Switch with feedback
- ✔ High power 3 kW





Extra-long control distance

Advantage Comparison





☑ Measure 5 km in open areas, 1 to 1.5 km in urban areas	☒ No test, false propaganda, the actual dis-
☑ LORA and FM Spread Spectrum FSK Technology	☒ No feedback function after operation
☑ Use custom coding, strong security, no code stringing	☒ Traditional obsolete radio technol-
☑ Remote control, the host has the operation feedback function	☒ Remote control, the host has the opera-

Super far control. save time and effort

More usage scenarios



Control signals are sent



Control signal received



Feedback received signal



Feedback signal received

Super far control. save time and effort

More usage scenarios



P3 In the factory



P4 In Agriculture




P5 In the building

P2 Use of remote control devices to control equipment

P1 Enables remote control without wasting manpower

Accurate dimensional parameters

More usage scenarios



Brand Name: **PUFFINS**	Model Number: **HK-FK1-X**
Operating Voltage: **DC9-30V**	Max. Current: **10A**
Encoding Type: **Learning code**	Receiver sensitivity: **-146dBm**
Operating Frequency: **433MHz(868/915MHz available)**	
Modulation Mode: **FSK (FM)+ LORA(SPSP)**	
Operating Temperature: **-40℃~70℃**	
Modulation Mode: **FSK (FM)+ LORA(SPSP)**	
With case: **Yes**	

OUR ADVANTAGE






OEM & ODM

PROFESSIONAL OEM AND ODM SERVICE STILL FALL INTO OUR BUSINESS RANGE.

RICH EXPERIENCE

FOUNDED IN 2014.10 YEARS PRODUCTION EXPERIENCE.

QUALITY

QUALITY FIRST, TO PROVIDE QUALITY PRODUCTS.

SERVICE

PERFECT AFTER-SALES SERVICE, GOOD COOPERATION EXPERIENCE.

OUR EXHIBITION

PAYMENT & SHIPPING

Trade Assurance T/T L/C WESTERN UNION MoneyGram

MODE OF TRANSPORT

UPS FedEx Express DHL TNT aramex